



# Material Safety Data Sheet

## GEROPON SS-O-75/CAN

Date Prepared: 1/16/08

Supersedes Date: 1/19/05

### 1. PRODUCT AND COMPANY IDENTIFICATION

RHODIA INC.  
RHODIA NOVECARE  
CN 7500  
8 Cedar Brook Drive  
Cranbury NJ 08512-7500

**Emergency Phone Numbers:**

FOR EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CONTACT: CHEMTREC (800-424-9300 within the United States or 703-527-3887 for international collect calls) or Rhodia CAERS (Communication and Emergency Response System) at 800-916-3232.

**For Product Information:**

(800) 973-7873

**Chemical Name or Synonym:**

SODIUM DIOCTYL SULFOSUCCINATE IN WATER AND ETHANOL

### 2. HAZARDS IDENTIFICATION

#### A. EMERGENCY OVERVIEW:

**Physical Appearance and Odor:**

clear / liquid, alcohol-like odor.

**Warning Statements:**

WARNING!! FLAMMABLE LIQUID. EYE AND SKIN IRRITANT.

#### B. POTENTIAL HEALTH EFFECTS:

**Acute Eye:**

Irritant. Can cause redness, irritation.

**Acute Skin:**

Irritant. Can cause redness, inflammation, irritation.

**Acute Inhalation:**

Mists may cause upper respiratory tract irritation, headache, dizziness, loss of coordination.

**Acute Ingestion:**

Low acute oral toxicity. May cause nausea, diarrhea, abdominal cramps.

**Chronic Effects:**

This product does not contain any ingredient designated by IARC, NTP, ACGIH or OSHA as probable or suspected human carcinogens. (See Section 11 - Chronic.).

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS Reg Number	OSHA Hazard	% WT/WT
SODIUM DIOCTYL SULFOSUCCINATE	577-11-7	Y	60 - 100
ETHANOL	64-17-5	Y	1 - 5
PROPANEDIOL	57-55-6	Y	1 - 5
2-ETHYLHEXANOL	104-76-7	Y	1 - 5
WATER	7732-18-5	N	

**4. FIRST AID MEASURES****FIRST AID MEASURES FOR ACCIDENTAL:****Eye Exposure:**

Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Seek medical attention.

**Skin Exposure:**

In case of contact, immediately wash with plenty of soap and water for at least 15 minutes. Seek medical attention. Remove contaminated clothing and shoes while washing. Clean contaminated clothing and shoes before re-use or discard if they cannot be thoroughly cleaned.

**Inhalation:**

If respiratory irritation or distress occurs remove victim to fresh air. Seek medical attention if respiratory irritation or distress continues.

**Ingestion:**

If victim is conscious and alert, give 1-2 glasses of water to drink. Do not give anything by mouth to an unconscious person. Seek medical attention. Do not leave victim unattended.

**MEDICAL CONDITIONS POSSIBLY AGGRAVATED BY EXPOSURE:**

Skin contact may aggravate existing skin disease.

**NOTES TO PHYSICIAN:**

All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Treat symptomatically. No specific antidote available.

**5. FIRE FIGHTING MEASURES****FIRE HAZARD DATA:**

**Flash Point:**

40 C (104 F). Flammability Class: FLAMMABLE.

**Method Used:**

Pensky-Martens Closed Cup

**Flammability Limits (vol/vol%):****Lower:**

1.1

**Upper:**

19

**Extinguishing Media:**

Recommended (small fires): dry chemical, carbon dioxide, Recommended (large fire): alcohol foam, universal foam, water spray, Not recommended: water jet (frothing possible).

**Special Fire Fighting Procedures:**

Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing.

**Unusual Fire and Explosion Hazards:**

Product will burn under fire conditions. Vapors may travel a considerable distance to a source of ignition and flash back along vapor trail. Closed containers may explode (due to the build-up of pressure) when exposed to extreme heat.

**Hazardous Decomposition Materials (Under Fire Conditions):**

oxides of sulfur

oxides of carbon

## 6. ACCIDENTAL RELEASE MEASURES

**Evacuation Procedures and Safety:**

Wear appropriate protective gear for the situation. See Personal Protection information in Section 8.

**Containment of Spill:**

Follow procedure described below under Cleanup and Disposal of Spill.

**Cleanup and Disposal of Spill:**

Absorb with an inert absorbent. Sweep up and place in an appropriate closed container (see Section 7: Handling and Storage). Clean up residual material by washing area with water. Collect washings for disposal.

**Environmental and Regulatory Reporting:**

Do not flush to drain. Spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.

## 7. HANDLING AND STORAGE

**Minimum/Maximum Storage Temperatures:**

5 to 25 C (41 to 77 F)

**Handling:**

Avoid breathing vapors and mists. Avoid direct or prolonged contact with skin and eyes. Use nonsparking tools and grounded/bonded equipment and containers when transferring. DO NOT ALLOW TO FREEZE.

**Storage:**

Store in tightly closed containers. Store in an area that is dry, well-ventilated, away from ignition sources, away from incompatible materials (see Section 10. Stability and Reactivity), SHIP AND STORE BETWEEN THE MINIMUM AND MAXIMUM RECOMMENDED STORAGE TEMPERATURE.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Introductory Remarks:**

These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and piping systems for maintenance and repairs. Waste resulting from these procedures should be handled in accordance with Section 13: Disposal Considerations.

Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.

**Exposure Guidelines:**

Exposure limits represent regulated or recommended worker breathing zone concentrations measured by validated sampling and analytical methods, meeting the regulatory requirements. The following limits apply to this material, where, if indicated, S=skin and C=ceiling limit:

**ETHANOL**

	Notes	TWA	STEL
ACGIH		1000 ppm	
OSHA		1000 ppm	
OSHA		1900 mg/cu m	

**PROPANEDIOL**

	Notes	TWA	STEL
AIHA		10 mg/cu m	
AIHA		50 ppm	

**Engineering Controls:**

Where engineering controls are indicated by use conditions or a potential for excessive exposure exists, the following traditional exposure control techniques may be used to effectively minimize employee exposures: local exhaust ventilation at the point of generation.

**Respiratory Protection:**

When respirators are required, select NIOSH/MSHA approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industrial recommendations.

Under normal conditions, in the absence of other airborne contaminants, the following devices should provide protection from this material up to the conditions specified by the appropriate OSHA, WHMIS or ANSI standard(s): Air-purifying (half-mask/full-face) respirator with cartridges/canister approved for use against organic vapors.

**Eye/Face Protection:**

Eye and face protection requirements will vary dependent upon work environment conditions and material handling practices. Appropriate ANSI Z87 approved equipment should be selected for the particular use intended for this material.

Eye contact should be prevented through use of chemical safety glasses with side shields or splash proof goggles. An emergency eye wash must be readily accessible to the work area.

**Skin Protection:**

Skin contact should be minimized through use of gloves and suitable long-sleeved clothing (i.e., shirts and pants). Consideration must be given both to durability as well as permeation resistance.

**Work Practice Controls:**

Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this material:

- (1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.
- (2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.
- (3) Wash exposed skin promptly to remove accidental splashes or contact with this material.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical properties here represent typical properties of this product. Contact the business area using the Product Information phone number in Section 1 for its exact specifications.

**Physical Appearance:**

clear / liquid.

**Odor:**

alcohol-like odor.

**pH:**

5 to 6 at 10 wt/wt%.

**Specific Gravity:**

1.1 at 25 C (77 F).

**Water Solubility:**

soluble

**Melting Point Range:**

Not Available

**Boiling Point Range:**

78 C (172 F) at 760 mmHg

**Vapor Pressure:**

< 40 mmHg at 25 C (77 F)

**Vapor Density:**

Not Available

**Percent Volatiles by Volume:**

25

## 10. STABILITY AND REACTIVITY

**Chemical Stability:**

This material is stable under normal handling and storage conditions described in Section 7.

**Conditions To Be Avoided:**

heat  
open flame  
spark  
static electricity

**Materials/Chemicals To Be Avoided:**

strong bases  
strong acids  
strong oxidizing agents

**The Following Hazardous Decomposition Products Might Be Expected:****Decomposition Type: thermal**

oxides of sulfur  
oxides of carbon

**Hazardous Polymerization Will Not Occur.****Avoid The Following To Inhibit Hazardous Polymerization:**

not applicable

## 11. TOXICOLOGICAL INFORMATION

**Acute Eye Irritation:**

The following data are for similar or related products.

**Toxicological Information and Interpretation:**

eye - eye irritation, rabbit. Moderately irritating.

**Acute Skin Irritation:**

The following data is for similar or related products.

**Toxicological Information and Interpretation:**

skin - skin irritation, rabbit. Moderately irritating.

**Acute Dermal Toxicity:**

No test data found for product.

**Acute Respiratory Irritation:**

No test data found for product.

**Acute Inhalation Toxicity:**

No test data found for product.

**Acute Oral Toxicity:**

The following data is for similar or related products.

**Toxicological Information and Interpretation:**

LD50 - lethal dose 50% of test species, rat. The LD50 was between 2,000 and 5,000 mg/kg.

**Chronic Toxicity:**

This product contains the substances that are considered to be "probable" or "suspected" human carcinogens as follows:

Ingredient Name	Regulatory Agency Listing Carcinogen			
	OSHA	IARC	NTP	ACGIH
ETHANOL	No	1	No	No

No additional test data found for product.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicological Information:

No data found for product.

### Chemical Fate Information:

No data found for product.

## 13. DISPOSAL CONSIDERATIONS

### Waste Disposal Method:

Chemical additions, processing or otherwise altering this material may make the waste management information presented in this MSDS incomplete, inaccurate or otherwise inappropriate. Please be advised that state and local requirements for waste disposal may be more restrictive or otherwise different from federal laws and regulations. Consult state and local regulations regarding the proper disposal of this material.

### Container Handling and Disposal:

Any containers or equipment used should be decontaminated immediately after use.

EPA Hazardous Waste - YES

### EPA RCRA HAZARDOUS WASTE CODES:

"I" Ignitable.

## 14. TRANSPORT INFORMATION

### Transportation Status: IMPORTANT! Statements below provide additional data on listed DOT classification.

The listed Transportation Classification does not address regulatory variations due to changes in package size, mode of shipment or other regulatory descriptors.

### US DOT:

Hazard Class..... 3

Shipping Name:

ETHANOL SOLUTION

ID Number..... UN1170

Packing Group.... III

Labels..... FLAMMABLE LIQUID

Emergency Guide #.... 127

### TDG:

Hazard Class..... 3

Shipping Name: ALCOHOLS, N.O.S.  
Technical Shipping Name: (ETHANOL)  
ID Number..... UN1987  
Packing Group.... III

**IMO:**

Hazard Class..... 3  
Shipping Name: ETHANOL SOLUTION  
Technical Shipping Name: ETHANOL  
ID Number..... UN1170  
Packing Group.... III

**IATA:**

Hazard Class..... 3  
Shipping Name: ALCOHOLS, N.O.S.  
Technical Shipping Name: (ETHANOL)  
ID Number..... UN1987  
Packing Group.... III

**15. REGULATORY INFORMATION**

**Inventory Status**

<b>Inventory</b>	<b>Status</b>
UNITED STATES (TSCA)	Y
CANADA (DSL)	Y
EUROPE (EINECS/ELINCS)	Y
AUSTRALIA (AICS)	Y
JAPAN (MITI)	Y
SOUTH KOREA (KECL)	Y

Y = All ingredients are on the inventory.

E = All ingredients are on the inventory or exempt from listing.

P = One or more ingredients fall under the polymer exemption or are on the no longer polymer list. All other ingredients are on the inventory or exempt from listing.

N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing.

**FEDERAL REGULATIONS**

**Inventory Issues:**

All functional components of this product are listed on the TSCA Inventory.

**SARA Title III Hazard Classes:**

- Fire Hazard - YES
- Reactive Hazard - NO
- Release of Pressure - NO
- Acute Health Hazard - YES
- Chronic Health Hazard - NO

**STATE REGULATIONS:**

This product does not contain any components that are regulated under California Proposition 65.



## 16. OTHER INFORMATION

### National Fire Protection Association Hazard Ratings--NFPA(R):

- 2 Health Hazard Rating--Moderate
- 2 Flammability Rating--Moderate
- 0 Instability Rating--Minimal

### National Paint & Coating Hazardous Materials Identification System--HMIS(R):

- 2 Health Hazard Rating--Moderate
- 2 Flammability Rating--Moderate
- 0 Reactivity Rating--Minimal

### Reason for Revisions:

Change and/or addition made to Section 3, Warning Statements in Section 3, Regulatory Review and Update.

### Key Legend Information:

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

TLV - Threshold Limit Value

PEL - Permissible Exposure Limit

TWA - Time Weighted Average

STEL - Short Term Exposure Limit

NTP - National Toxicology Program

IARC - International Agency for Research on Cancer

ND - Not determined

RHODIA - Rhodia Established Exposure Limits

### Disclaimer:

The information herein is given in good faith but no warranty, expressed or implied, is made.

**\*\* End of MSDS Document \*\***

5/1/2009