



## Material Safety Data Sheet

### RHODAFAC BP-769

Date Prepared: 6/12/09

Supersedes Date: 8/18/06

## 1. PRODUCT AND COMPANY IDENTIFICATION

RHODIA INC.  
RHODIA NOVECARE  
CN 7500  
8 Cedar Brook Drive  
Cranbury NJ 08512-7500

**Emergency Phone Numbers:**

FOR EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CONTACT: CHEMTREC (800-424-9300 within the United States or 703-527-3887 for international collect calls) or Rhodia CAERS (Communication and Emergency Response System) at 800-916-3232.

**For Product Information:**

(800) 973-7873

**Chemical Name or Synonym:**

COMPLEX ORGANIC PHOSPHATE ESTER, FREE ACID

## 2. HAZARDS IDENTIFICATION

### A. EMERGENCY OVERVIEW:

**Physical Appearance and Odor:**

clear viscous liquid, slight odor.

**Warning Statements:**

WARNING!! SEVERE EYE IRRITANT. CORROSIVE TO METALS. RISK OF SERIOUS DAMAGE TO EYES.

### B. POTENTIAL HEALTH EFFECTS:

**Acute Eye:**

Severe irritant. Can cause redness, irritation, tearing, pain, corneal opacity, May cause significant eye damage.

**Acute Skin:**

Slightly irritating. May cause redness, inflammation, irritation.

**Acute Inhalation:**

Mists may cause shortness of breath, upper respiratory tract irritation.

**Acute Ingestion:**

Practically non-toxic. May cause nausea, irritation.

**Chronic Effects:**

This product does not contain any ingredient designated by IARC, NTP, ACGIH or OSHA as probable or suspected human carcinogens.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS Reg Number	OSHA Hazard	% WT/WT
POLYETHYLENE GLYCOL PHENYL ETHER PHOSPHATE	39464-70-5	Y	85 - 88
WATER	7732-18-5	N	7 - 10
PHOSPHORIC ACID	7664-38-2	Y	< 4.8

### 4. FIRST AID MEASURES

**FIRST AID MEASURES FOR ACCIDENTAL:****Eye Exposure:**

Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Seek medical attention.

**Skin Exposure:**

In case of contact, immediately wash with plenty of soap and water for at least 5 minutes. Seek medical attention if irritation develops or persists. Remove contaminated clothing and shoes. Clean contaminated clothing and shoes before re-use.

**Inhalation:**

Inhalation is not an expected route of exposure. If respiratory irritation or distress occurs remove victim to fresh air. Seek medical attention if respiratory irritation or distress continues.

**Ingestion:**

Do not induce vomiting, unless directed to do so by a physician. If victim is conscious and alert, wash out mouth with water and keep at rest. Do not leave victim unattended. Vomiting may occur spontaneously. To prevent aspiration of swallowed product, lay victim on side. Seek medical attention.

**MEDICAL CONDITIONS POSSIBLY AGGRAVATED BY EXPOSURE:**

Skin contact may aggravate existing skin disease.

**NOTES TO PHYSICIAN:**

All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Treat symptomatically. No specific antidote available.

### 5. FIRE FIGHTING MEASURES

**FIRE HAZARD DATA:****Flash Point:**

> 200 C (392 F). Flammability Class: WILL BURN.

**Method Used:**

Closed cup

**Flammability Limits (vol/vol%):****Lower:**

No Data

**Upper:**

No Data

**Extinguishing Media:**

Recommended (small fires): dry chemical, carbon dioxide, Recommended (large fire): alcohol foam, universal foam, water spray, Not recommended: water jet (frothing possible).

**Special Fire Fighting Procedures:**

Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing.

**Unusual Fire and Explosion Hazards:**

Product will burn under fire conditions.

**Hazardous Decomposition Materials (Under Fire Conditions):**

oxides of phosphorus

oxides of carbon

## 6. ACCIDENTAL RELEASE MEASURES

**Evacuation Procedures and Safety:**

Wear appropriate protective gear for the situation. See Personal Protection information in Section 8.

**Containment of Spill:**

Follow procedure described below under Cleanup and Disposal of Spill.

**Cleanup and Disposal of Spill:**

Absorb with an inert absorbent. Sweep up and place in an appropriate closed container (see Section 7: Handling and Storage). Clean up residual material by washing area with water. Collect washings for disposal.

**Environmental and Regulatory Reporting:**

Do not flush to drain. Prevent material from entering public sewer system or any waterways. Spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.

## 7. HANDLING AND STORAGE

**Minimum/Maximum Storage Temperatures:**

Not Available

**Handling:**

Do not get in eyes. Avoid breathing vapors and mists. Avoid direct or prolonged contact with skin.

Ethylene oxide may collect in container head space. Although concentrations are expected to remain below established exposure limits, provide adequate ventilation when accessing or working with open containers and tanks.

**Storage:**

Store in tightly closed containers. Store in properly designed containers. Store in an area that is dry, well-ventilated, away from ignition sources, away from incompatible materials (see Section 10. Stability and Reactivity), Container material to avoid: unprotected metal.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Introductory Remarks:

These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and piping systems for maintenance and repairs. Waste resulting from these procedures should be handled in accordance with Section 13: Disposal Considerations.

Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.

### Exposure Guidelines:

Exposure limits represent regulated or recommended worker breathing zone concentrations measured by validated sampling and analytical methods, meeting the regulatory requirements. The following limits apply to this material, where, if indicated, S=skin and C=ceiling limit:

#### PHOSPHORIC ACID

	Notes	TWA	STEL
ACGIH		1 mg/cu m	3 mg/cu m
OSHA		1 mg/cu m	3 mg/cu m

### Engineering Controls:

Where engineering controls are indicated by use conditions or a potential for excessive exposure exists, the following traditional exposure control techniques may be used to effectively minimize employee exposures: general area dilution/exhaust ventilation.

### Respiratory Protection:

When respirators are required, select NIOSH/MSHA approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industrial recommendations.

For reasonably foreseeable industrial end uses of this material, respiratory protection should not be necessary.

### Eye/Face Protection:

Eye and face protection requirements will vary dependent upon work environment conditions and material handling practices. Appropriate ANSI Z87 approved equipment should be selected for the particular use intended for this material.

Eye contact should be prevented through use of chemical safety glasses with side shields or splash proof goggles. An emergency eye wash must be readily accessible to the work area.

### Skin Protection:

Skin contact should be minimized through use of gloves and suitable long-sleeved clothing (i.e., shirts and pants). Consideration must be given both to durability as well as permeation resistance.

### Work Practice Controls:

Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this material:

- (1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.
- (2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using

the toilet.

- (3) Wash exposed skin promptly to remove accidental splashes or contact with this material.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical properties here represent typical properties of this product. Contact the business area using the Product Information phone number in Section 1 for its exact specifications.

**Physical Appearance:**

clear viscous liquid.

**Odor:**

slight odor.

**pH:**

< 1.5 at 10 wt/wt%.

**Specific Gravity:**

1.14 at 25 C (77 F).

**Water Solubility:**

soluble

**Melting Point Range:**

Not Available

**Freezing Point Range:**

< 4 C (39 F)

**Boiling Point Range:**

Not Available

**Vapor Pressure:**

< 23.5 mmHg at 25 C (77 F)

**Vapor Density:**

Not Available

**Percent Volatiles by Volume:**

< 10

**Viscosity:**

viscosity (centipoises) : ~ 300 to 800 cps at 25 C (77 F).

**Octanol/Water Partition Coefficient:**

Not Available

## 10. STABILITY AND REACTIVITY

**Chemical Stability:**

This material is stable under normal handling and storage conditions described in Section 7.

**Conditions To Be Avoided:**

heat

**Materials/Chemicals To Be Avoided:**

strong bases

strong oxidizing agents

strong reducing agents

**The Following Hazardous Decomposition Products Might Be Expected:****Decomposition Type: thermal**

oxides of phosphorus

oxides of carbon

**Hazardous Polymerization Will Not Occur.****Avoid The Following To Inhibit Hazardous Polymerization:**

not applicable

## 11. TOXICOLOGICAL INFORMATION

**Acute Eye Irritation:****Toxicological Information and Interpretation:**

eye - eye irritation, rabbit. Extremely irritating.

**Acute Skin Irritation:****Toxicological Information and Interpretation:**

skin - skin irritation, rabbit. Slightly irritating.

**Acute Dermal Toxicity:**

No test data found for product.

**Acute Respiratory Irritation:**

No test data found for product.

**Acute Inhalation Toxicity:**

No test data found for product.

**Acute Oral Toxicity:****Toxicological Information and Interpretation:**

LD50 - lethal dose 50% of test species, 5130 mg/kg, rat.

**Chronic Toxicity:**

This product does not contain any substances that are considered by OSHA, NTP, IARC or ACGIH to be "probable" or "suspected" human carcinogens.

No additional test data found for product.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicological Information:**

No data found for product.

**Chemical Fate Information:**

No data found for product.

## 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Method:**

Chemical additions, processing or otherwise altering this material may make the waste management information presented in this MSDS incomplete, inaccurate or otherwise inappropriate. Please be advised that state and local requirements for waste disposal may be more restrictive or otherwise different from federal laws and regulations. Consult state and local regulations regarding the proper disposal of this material.

**Container Handling and Disposal:**

Any containers or equipment used should be decontaminated immediately after use.

**EPA Hazardous Waste - YES**

**EPA RCRA HAZARDOUS WASTE CODES:**

"C" Corrosive.

## 14. TRANSPORT INFORMATION

**Transportation Status: IMPORTANT! Statements below provide additional data on listed transport classification.**

The listed Transportation Classification does not address regulatory variations due to changes in package size, mode of shipment or other regulatory descriptors.

In the United States, it may be possible to reclassify this material as not regulated via surface transportation because its corrosivity is due solely to its effect on metals (either steel or aluminum). See 49 CFR 173.154(d).

**US DOT:**

Hazard Class..... 8

Shipping Name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

Technical Shipping Name: POLYETHYLENE GLYCOL PHENOL ETHER PHOSPHATE

ID Number..... UN3265

Packing Group.... III

Labels..... CORROSIVE

Emergency Guide #.... 153

**TDG:**

Hazard Class..... 8

Shipping Name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

Technical Shipping Name: (POLYETHYLENE GLYCOL PHENOL ETHER PHOSPHATE)

ID Number..... UN3265

Packing Group.... III

**IMO:**

Hazard Class..... 8

Shipping Name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

Technical Shipping Name: POLYETHYLENE GLYCOL PHENOL ETHER PHOSPHATE  
 ID Number..... UN3265  
 Packing Group.... III

**IATA:**

Hazard Class..... 8  
 Shipping Name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
 Technical Shipping Name: POLYETHYLENE GLYCOL PHENOL ETHER PHOSPHATE  
 ID Number..... UN3265  
 Packing Group.... III

**15. REGULATORY INFORMATION****Inventory Status**

<b>Inventory</b>	<b>Status</b>
UNITED STATES (TSCA)	Y
CANADA (DSL)	Y
EUROPE (EINECS/ELINCS)	P
AUSTRALIA (AICS)	Y
JAPAN (MITI)	Y
SOUTH KOREA (KECL)	Y

Y = All ingredients are on the inventory.

E = All ingredients are on the inventory or exempt from listing.

P = One or more ingredients fall under the polymer exemption or are on the no longer polymer list. All other ingredients are on the inventory or exempt from listing.

N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing.

**FEDERAL REGULATIONS****Inventory Issues:**

All functional components of this product are listed on the TSCA Inventory.

**SARA Title III Hazard Classes:**

Fire Hazard	- NO
Reactive Hazard	- NO
Release of Pressure	- NO
Acute Health Hazard	- YES
Chronic Health Hazard	- NO

**SARA Extremely Hazardous Substances (EHS)/CERCLA Hazardous Substances**

<b>Ingredient</b>	<b>CERCLA/SARA RQ</b>	<b>SARA EHS TPQ</b>
PHOSPHORIC ACID	5000 lbs	

**STATE REGULATIONS:**

This product contains the following components that are regulated under California Proposition 65:

<b>Ingredient Name</b>	<b>Cancer List</b>	<b>Reprod. List</b>	<b>No Sign. Risk Lvl (ug/day) California</b>	<b>RPI</b>
DIOXANE	Y	N	30	ND
ETHYLENE OXIDE	Y	Y	2	ND



## 16. OTHER INFORMATION

### National Fire Protection Association Hazard Ratings--NFPA(R):

- 3 Health Hazard Rating--Serious
- 1 Flammability Rating--Slight
- 0 Instability Rating--Minimal

### National Paint & Coating Hazardous Materials Identification System--HMIS(R):

- 3 Health Hazard Rating--Serious
- 1 Flammability Rating--Slight
- 0 Reactivity Rating--Minimal

### Reason for Revisions:

Change and/or addition made to Section 2, Section 4, Section 6, Section 11, Regulatory Review and Update.

### Key Legend Information:

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

TLV - Threshold Limit Value

PEL - Permissible Exposure Limit

TWA - Time Weighted Average

STEL - Short Term Exposure Limit

NTP - National Toxicology Program

IARC - International Agency for Research on Cancer

ND - Not determined

RHODIA - Rhodia Established Exposure Limits

### Disclaimer:

The information herein is given in good faith but no warranty, expressed or implied, is made.

**\*\* End of MSDS Document \*\***