

# **Material Safety Data Sheet**

## **RHODOLINE 999**

Date Prepared: 4/02/08 Supersedes Date: 4/15/05

## 1. PRODUCT AND COMPANY DESCRIPTION

RHODIA INC. RHODIA NOVECARE CN 7500 8 Cedar Brook Drive Cranbury NJ 08512-7500

**Emergency Phone Numbers:** 

FOR ÉMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CONTACT: CHEMTREC (800-424-9300 within the United States or 703-527-3887 for international collect calls) or Rhodia CAERS (Communication and Emergency Response System) at 800-916-3232.

## For Product Information:

(800) 973-7873

Chemical Name or Synonym:

DEFOAMER

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS Reg Number	OSHA Hazard	Percentage
GLYCOL DIESTER	****	N	
POLYOL	25322-69-4	Υ	5
NONIONIC SURFACTANT	安全的企业企业企业	N	
FILLERS	生宝大宫安安安安安安安	N	

## 3. HAZARDS IDENTIFICATION

#### A. EMERGENCY OVERVIEW:

Physical Appearance and Odor:

amber thin liquid, mild odor.

Warning Statements:

CAUTION! MAY CAUSE EYE IRRITATION.

#### B. POTENTIAL HEALTH EFFECTS:

PAGE 02/08 Page 2 of 8

#### Acute Eye:

May cause redness, irritation.

#### Acute Skin:

Skin absorption not likely. Not expected to cause significant irritation to the skin.

#### Acute Inhalation:

Mists may cause coughing, upper respiratory tract irritation, headache, sneezing.

#### Acute Ingestion:

Low acute oral toxicity. May cause nausea, irritation.

#### Chronic Effects:

This product does not contain any ingredient designated by IARC, NTP, ACGIH or OSHA as probable or suspected human carcinogens.

### 4. FIRST AID MEASURES

### FIRST AID MEASURES FOR ACCIDENTAL:

### Eye Exposure:

Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Seek medical attention.

#### Skin Exposure:

In case of contact, wash with plenty of soap and water. Seek medical attention if irritation developes or persists.

#### inhaistion<sup>a</sup>

If respiratory irritation or distress occurs remove victim to fresh air. Seek medical attention if respiratory irritation or distress continues.

#### Ingestion:

If victim is conscious and alert, give 1-2 glasses of water to drink. Do not give anything by mouth to an unconscious person. Seek medical attention. Do not leave victim unattended.

## MEDICAL CONDITIONS POSSIBLY AGGRAVATED BY EXPOSURE:

No health problems have been reported when handled according to recommendations.

### NOTES TO PHYSICIAN:

All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Treat symptomatically. No specific antidote available.

## 5. FIRE FIGHTING MEASURES

#### FIRE HAZARD DATA:

#### Flash Point:

> 266 C (510 F), Flammability Class: WILL BURN.

CHEMPAK GREENVILLE

PAGE 03/08 Page 3 of 8

**Method Used:** 

RHODOLINE 999

Pensky-Martens Closed Cup

Flammability Limits (vol/vol%):

Lower: No Data Upper: No Data

Extinguishing Media:

Recommended (small fires): carbon dioxide, dry chemical, Recommended (large fire): aqueous foam, water fog.

Special Fire Fighting Procedures:

Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing. Cool containers exposed to fire with water.

Unusual Fire and Explosion Hazards:

Closed containers may rupture (due to buildup of pressure) when exposed to extreme heat.

Hazardous Decomposition Materials (Under Fire Conditions):

formaldehyde oxides of carbon silica (crystalline) hydrocarbon residues

## **6. ACCIDENTAL RELEASE MEASURES**

Evacuation Procedures and Safety:

Wear appropriate protective gear for the situation. See Personal Protection information in Section 8. CAUTION: Spilled material may make the floor slippery. Do not leave traces of product on floors, ladders, etc., as this may present a slipping hazard.

Containment of Spill:

Follow procedure described below under Cleanup and Disposal of Spill.

Cleanup and Disposal of Spill:

Absorb with an inert absorbent. Recover material, if possible. Shovel up into an appropriate closed container (see Section 7: Handling and Storage). Clean up residual material by washing area with water. Collect washings for disposal,

**Environmental and Regulatory Reporting:** 

Do not flush to drain. Prevent material from entering public sewer system or any waterways. Spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.

### 7. HANDLING AND STORAGE

## Minimum/Maximum Storage Temperatures:

< 35 C (95 F)

Handling:

Avoid breathing vapors and mists. Avoid direct or prolonged contact with skin and eyes, Stir before using. Mix thoroughly to assure homogeneity.

Storage:

Store in tightly closed containers.

## 8, EXPOSURE CONTROLS/PERSONAL PROTECTION

Introductory Remarks:

These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and piping systems for maintenance and repairs. Waste resulting from these procedures should be handled in accordance with Section 13: Disposal Considerations.

Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.

**Exposure Guidelines:** 

Exposure limits represent regulated or recommended worker breathing zone concentrations measured by validated sampling and analytical methods, meeting the regulatory requirements. The following limits apply to this material, where, if indicated, S=skin and C=ceiling limit:

POLYOL

Notes TWA STEL
AlHA 10 mg/cu m

Engineering Controls:

Where engineering controls are indicated by use conditions or a potential for excessive exposure exists, the following traditional exposure control techniques may be used to effectively minimize employee exposures: general area dilution/exhaust ventilation.

Respiratory Protection:

When respirators are required, select NIOSH/MSHA approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industrial recommendations.

For reasonably foreseeable industrial end uses of this material, respiratory protection should not be necessary.

Eye/Face Protection:

Eye and face protection requirements will vary dependent upon work environment conditions and material handling practices. Appropriate ANSI Z87 approved equipment should be selected for the particular use intended for this material.

Eye contact should be prevented through use of chemical safety glasses with side shields or splash proof goggles. An emergency eye wash must be readily accessible to the work area.

#### Skin Protection:

Skin contact should be minimized through use of gloves and suitable long-sleeved clothing (i.e., shirts and pants). Consideration must be given both to durability as well as permeation resistance.

## Work Practice Controls:

Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this material:

- (1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.
- (2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.
- (3) Wash exposed skin promptly to remove accidental splashes or contact with this material.

PAGE 05/08 Page 5 of 8

**RHODOLINE 999** 

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical properties here represent typical properties of this product. Contact the business area using the Product Information phone number in Section 1 for its exact specifications.

## Physical Appearance:

amber thin liquid.

#### Odor:

mild odor.

#### pH:

8 to 9 at 5 wt/wt%.

### Specific Gravity:

0.99 at 25 C (77 F).

## Water Solubility:

dispersible

#### Melting Point Range:

Not Available

#### **Boiling Point Range:**

93 to 300 C (199 to 572 F) at 760 mmHg

#### Vapor Pressure:

< 0.3 mmHg at 20 C (68 F)

### Vapor Density:

Not Available

#### **Evaporation Rate:**

< 1 (Butyl Acetate = 1)

## 10. STABILITY AND REACTIVITY

#### Chemical Stability:

This material is stable under normal handling and storage conditions described in Section 7.

#### Conditions To Be Avoided:

extreme heat open flame

### Materials/Chemicals To Be Avoided:

strong oxidizing agents

## The Following Hazardous Decomposition Products Might Be Expected:

### Decomposition Type: thermal

oxides of carbon

CHEMPAK GREENVILLE

PAGE 06/08 Page 6 of 8

hydrocarbon residues

**RHODOLINE 999** 

Decomposition Type: oxidative/thermal

formaldehyde

Hazardous Polymerization Will Not Occur.

Avoid The Following To Inhibit Hazardous Polymerization:

not applicable

## 11. TOXICOLOGICAL INFORMATION

Acute Eye Irritation:

No test data found for product.

Acute Skin Irritation:

No test data found for product.

**Acute Dermal Toxicity:** 

No test data found for product.

Acute Respiratory Irritation:

No test data found for product.

Acute Inhalation Toxicity:

No test data found for product.

Acute Oral Toxicity:

No test data found for product.

Chronic Toxicity:

This product does not contain any substances that are considered by OSHA, NTP, IARC or ACGIH to be "probable" or "suspected" human carcinogens.

No additional test data found for product.

### 12. ECOLOGICAL INFORMATION

Ecotoxicological Information:

The following data is for similar or related products. May cause adverse environmental impact if material reaches waterways.

Chemical Fate Information:

No data found for product.

## 13. DISPOSAL CONSIDERATIONS

Waste Disposal Method:

**RHODOLINE 999** 

Chemical additions, processing or otherwise altering this material may make the waste management information presented in this MSDS incomplete, inaccurate or otherwise inappropriate. Please be advised that state and local requirements for waste disposal may be more restrictive or otherwise different from federal laws and regulations. Consult state and local regulations regarding the proper disposal of this material.

## Container Handling and Disposal:

Rinse containers before disposal.

EPA Hazardous Waste - NO

## 14. TRANSPORTATION INFORMATION

18642777348

Transportation Status: IMPORTANTI Statements below provide additional data on listed DOT classification.

The listed Transportation Classification does not address regulatory variations due to changes in package size, mode of shipment or other regulatory descriptors.

## **US Department of Transportation**

Shipping Name: NOT REGULATED

## 15. REGULATORY INFORMATION

Inventory Status	
Inventory	Status
UNITED STATES (TSCA)	Y
CANADA (DSL)	Υ
EUROPE (EINECS/ELINCS)	Р
AUSTRALIA (AICS)	N
JAPAN (MITI)	Υ
SOUTH KOREA (KECL)	Υ

Y = All ingredients are on the inventory.

E = All ingredients are on the inventory or exempt from listing.

P = One or more ingredients fall under the polymer exemption or are on the no longer polymer list. All other ingredients are on the inventory or exempt from listing.

N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing.

## FEDERAL REGULATIONS

inventory Issues:

All functional components of this product are listed on the TSCA Inventory.

## SARA Title III Hazard Classes:

Fire Hazard	- NO
Reactive Hazard	- NO
Release of Pressure	- NO
Acute Health Hazard	- NO
Chronic Health Hazard	- NO

**RHODOLINE 999** 

#### STATE REGULATIONS:

This product does not contain any components that are regulated under California Proposition 65.

### 16. OTHER INFORMATION

### National Fire Protection Association Hazard Ratings-NFPA(R):

- 1 Health Hazard Rating-Slight
- 1 Flammability Rating-Slight
- 0 Instability Rating—Minimal

## National Paint & Coating Hazardous Materials Identification System-HMIS(R):

- 1 Health Hazard Rating—Slight
- 1 Flammability Rating-Slight
- 0 Reactivity Rating—Minimal

#### Reason for Revisions:

Change and/or addition made to Section 3, Section 4, Section 6, Section 8, Section 12, Section 15, Regulatory Review and Update.

#### Key Legend Information:

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

TLV - Threshold Limit Value

PEL - Permissable Exposure Limit

TWA - Time Weighted Average

STEL - Short Term Exposure Limit

NTP - National Toxicology Program

IARC - International Agency for Research on Cancer

ND - Not determined

RHODIA - Rhodia Established Exposure Limits

#### Disclaimer.

The information herein is given in good faith but no warranty, expressed or implied, is made.

## \*\* End of MSDS Document \*\*